

() Riester

The familiar way

ri-former®

NEW!















big ben®



ri-champion®



ri-mini®/pen-scope®








ri-focus® LED



ri-integral











Riester offers a large selection of products for a variety of applications, including

Sphygmomanometers I Instruments for E.N.T.,
Ophthalmological Instruments I Dermatological Instruments I
Thermometers I Stethoscopes I Headmirrors, Headlamps,
Examination lamps I Laryngoscopes I Gynecological Instruments I
Percussion hammers I Pulse oximeters I Tuning forks I

Blood stasis products I Pulmonary pressure measuring devices I Dynamometers I Pressure infusion instruments I Veterinary instruments I

You can find detailed descriptions of the products in our catalog (Order no. 51231-50). Or log on to our website: www.riester.de.

Rudolf Riester GmbH & Co. KG

P.O. Box 35 • 72417 Jungingen Germany Tel.: +49 (0)74 77-92 70-0

Fax: +49 (0)74 77-92 70-70 info@riester.de www.riester.de

ri-former®

The modular diagnostic station by Riester.







Star

LED illumination - Bright, white light with a nearly unlimited lifetime!

ri-former® – the modular diagnostic station by Riester – optimal flexibility for hospitals and medical practices. The diagnostic station modules can be combined individually to suit the requirements and location. Thanks to its innovative design it is variably extendable to the right and the left. The basic ri-former® module is available with one handle and can be supplemented with up to 4 more handle modules. The advantages of the ri-former® system can be seen in its versatile combination of options. With its centralized electrical power supply, the ri-former® offers the reliability required for the hectic day-to-day atmosphere of hospitals and medical practices. This guarantees cost savings and eliminates the need for batteries and rechargeable batteries, which is good for the environment.

- Also available with only one handle and extendable up to maximum 5 handles and extension module ri-thermo® N.
- Available with or without optional digital clock. The time of day is easy to read both day and night thanks to
 the illuminated display. The clock is connected to the power circuit and needs no batteries no staff costs
 involved in changing the batteries.
- LED illumination for otoscopes and 3,5 V xenon illumination for ophthalmological instruments supply daylight conditions.
- The regulating switch enables optimal electronic efficiency.
- Constant output voltage independent of the power supply prolongs the service life of the lamps and guarantees optimal light intensity.
- The handles automatically switch on or off when removing or replacing them in the handle unit; this saves energy and increases the service life of the lamps, while the adjustable light intensity setting is maintained until the next examination.

- Non-slip, ergonomically designed handles with rheostat: the handle enables continuously adjustable brightness as well as manual switching on and off.
- Spiral cord stretches up to 3 m.
- Easy cleaning and disinfection of the instruments.
- Instrument heads available with and without anti-theft device.
- If you need other voltages (besides 120 V or 230 V) or specialized plugs for your country, we request that you make this information available to us upon ordering.
- Developed and manufactured in Germany.



LED technology - power for lifetime.

With its monochromatic white light (reference color temperature = 4200° Kelvin) the lamp in the ri-scope® L provides cold light and true-color, even illumination of the area under examination. Lamps with LED technology have a lifetime of at least 10,000 hours (compared to 20-30 hours with halogen and Xenon lamps) and are extremely energy-efficient.





Combination suggestions

The diagnostic station ri-former® offers numerous individual combination possibilities. Depending on the room situation, the modules can be attached to the left or right of the ri-former® base module: e.g. with up to 5 handle modules, with ri-spec specula dispenser, big ben® square aneroid blood pressure measuring device and ri-thermo® N.







Diagnostic stations

The diagnostic station ri-former® can be fitted to meet all needs: it is available with one or two handles as well as with or without clock, connected to the power circuit and therefore independent of conventional or rechargeable batteries. Models with 230 V are supplied with 24-hour clock display, 120 V models with 12-hour display.





Diagnostic station ri-former® 1 handle

- Without instrument heads.
- Complete with wall mounting plate, plugs, screws, and assembly plan.

since 1948 Omality

without clock Nr. 3652

with clock

Nr. 3650

Nr. 3651

3,5 V/230 V Nr. 3653 3,5 V/120 V

3,5 V/230 V

3,5 V/120 V



Diagnostic station ri-former® 2 handles

- Without instrument heads.
- Complete with wall mounting plate, plugs, screws, and assembly plan.

with clock

Nr. 3650-300 3,5 V/230 V Nr. 3651-300 3,5 V/120 V

without clock

Nr. 3652-300 3,5 V/230 V Nr. 3653-300 3,5 V/120 V



The ri-former® diagnostic station: Modular system for numerous diagnostic possibilities. ri-former® and its extension modules fit in every practice and hospital facility.

Handle modules



Extension module, 1 handle

- Automatic switch-on/off of handles when removing or replacing them in the handle unit. The adjusted light intensity setting is saved until the next examination.
- Ergonomic and non-slip.
- Rheostat: infinitely variable regulation of brightness as well as manual switching on/off possible on the handle.
- Spiral cord expandable up to 3 m.
- For expanding the ri-former® base module, up to 4 handle modules possible.
- Complete with wall mounting plate, plugs, screws, and assembly plan.

big ben®



Extension module big ben®

- Generously dimensioned scale with 145.5 mm long sides and high-contrast scale layout guarantees optimum readability.
- With extra sturdy wall mounting made of glass-fibre reinforced plastic and extraordinary sturdy casing.
- Maximum error tolerance: +/- 3 mm Hg.
- Also available as latex-free version (when ordering please indicate LF for "latex-free" before the article number).
- Supplied with spacious basket for storage of tubes and cuffs, as well as wall mounting plate, plugs and screws.
- Individual basket assembly possible thanks to expandable spiral cord.

Nr. 3655-103 Bandage cuff adult

Nr. 300

Nr. 3655-106 Hook cuff adult

Nr. 3655-109 Velcro cuff

adult

Nr. 3655-123 Velcro cuff large adult

Nr. 3655-130 Velcro cuff

children

security

ri-thermo® N



Ear specula dispenser


Infra-red thermometer ri-thermo® N

- Precise measurement of the body temperature in the ear. Clinical validation.
- Measurement takes approx. 1-2 seconds.
- Digital display for optimum readability of the measurement values in °C or in °F.
- Memory function for 12 measurements.
- Probe covers: A new probe cover should be used for every measurement in the ear for reasons of hygiene and accuracy. No measurement should be made without a probe cover!
- Two alkaline manganese batteries type AA 1.5 V included for approx. 1,000 measurements. Supplied with 40 probe covers in attractive sales packaging.

Nr. 3656 without anti-theft security Nr. 3656-301 with anti-theft

probe covers in attractive sales packaging.


ri-spec ear specula dispenser



- Hygienic and practical solution, dispenses a new speculum for each examination.
- Simple to clean and disinfect.
- Easy to refill and can be closed with a cover.
- Filling level of specula tubes can be seen.
- Suitable for all Riester specula except uni®/econom® with metal attachment.
- Can also be used independent of the diagnostic station.
- Complete with plugs and screws.

Instrument heads

Always the right one to hand: There are numerous instrument heads available for the ri-former®. All with 3.5 V LED-/xenon illumination similar to daylight and optional anti-theft security. Further information on ri-scope® instruments and replacement parts can be found in our ri-scope® L brochure, which we will pleased to send to you upon request.



Using the Allen key supplied, the instrument heads can be secured to avoid theft.

			without anti-theft security		with anti-theft security	
LED inside	ri-scope [®] L F.O. otoscope	L1 L2 L3	Nr. 10563 Nr. 10565 Nr. 10567	XL 3,5 V LED 3,5 V LED 3,5 V		XL 3,5 V LED 3,5 V LED 3,5 V
	ri-scope® L ophthalmoscope	L1 L2 L3	Nr. 10569 Nr. 10571 Nr. 10573	XL 3,5 V XL 3,5 V XL 3,5 V	Nr. 10571-301	XL 3,5 V XL 3,5 V XL 3,5 V
	ri-scope® human operation otoscope without specula		Nr. 10561	XL 3,5 V	Nr. 10561-301	XL 3,5 V
	ri-scope® veterinary operation otoscope without specula		Nr. 10542	XL 3,5 V	Nr. 10542-301	XL 3,5 V
LEDinside	ri-scope® F.O. tongue blade holder		Nr. 10535 Nr. 10574	XL 3,5 V LED 3,5 V		XL 3,5 V LED 3,5 V
LED inside	ri-scope® F.O. nasal speculum		Nr. 10537 Nr. 10575	XL 3,5 V LED 3,5 V	Nr. 10537-301 Nr. 10575-301	XL 3,5 V LED 3,5 V
LED inside	ri-scope® F.O. bent arm illuminator		Nr. 10539 Nr. 10576	XL 3,5 V LED 3,5 V	Nr. 10539-301 Nr. 10576-301	XL 3,5 V LED 3,5 V
	ri-scope® retinoscope (skiascope), with slit-light		Nr. 10544	XL 3,5 V	Nr. 10544-301	XL 3,5 V
	ri-scope® retinoscope (skiascope), with spot-light		Nr. 10546	XL 3,5 V	Nr. 10546-301	XL 3,5 V
LED LED inside	ri-derma® dermatoscope		Nr. 10551 Nr. 10577	XL 3,5 V LED 3,5 V		XL 3,5 V LED 3,5 V

06