

DVM PRO GUARDIAN PRO

Veterinary Monitor



No-fan Design



Pitch Tone



Thermal Recorder



Shortcut Menu

Standard Parameters:

3/5-lead ECG, HR, RESP, EDAN SpO₂, EDAN NIBP, PR,

Optional Parameters:

Nellcor OxiMax™ SpO₂, SunTech NIBP, 2-IBP, EDAN G2 CO₂ (Sidestream), Resironics CO₂ (Mainstream and Sidestream), Masimo Anesthesia Gas/O₂ (iM7O VET)

Features

- Suitable for feline, canine and other animals
- 12.1 inch high resolution color TFT-LCD screen
- Defibrillation and electrosurgical interference protection
- No-fan design reduces dust and creates a no noise environment
- Full touch screen and customizable shortcuts for simple and intuitive operation
- Basic parameters monitoring with optional capnography and anaesthesia monitoring available



Guardian Pro
12.1" Color TFT-LCD
Touch Screen



Guardian Lite
10.4" Color TFT-LCD
Touch Screen



Wall Mount

Display Modes



Built-in Temporary Memory:

1200

NIBP Measurement
Review

120h

Trend
Review

60

Alarm
Review

120 s

Frozen
Waveform

End Tidal Carbon Dioxide Monitoring

EDAN G2 CO2 (Sidestream)

- Superior water trap design for accurate monitoring
- iCARBTM algorithm with intelligent CO2 pseudo wave identification technology
- Multiple sampling accessories as options

Respironics CO2 (Mainstream/Sidestream)

- Plug & play
- Dehumidification tube instead of water trap design
- No need to calibrate on a regular basis
- Low sampling rate of 50ml/min



MASIMO Anesthetic Gas/O2 (Mainstream/Sidestream)

- Unique Plug & Play module for mainstream anesthetic gas monitoring
- The no moisture sampling line design suitable for all clinical applications
- A stable low flow of 50ml/min for all types of patients