

# TATTNAUER T-EDGE VET 11

Autoclave

---



Easy to Use

User-friendly touchpad & control panel



Size

11" Chamber



T-Connect

IOT capabilities for easy traceability & technical support

**T-Edge Autoclave:**

Designed to meet all current sterilization standards ANSI/AAMI ST55

**Printer:**

Includes sterilization data (including expiration date)

# T-EDGE VET 11

Tuttnauer T-EDGE VET autoclave gives you high quality class performance that meets current international standards and regulatory requirements to protect your furry patients.

- **Optimal chamber capacity** - More than 75% usable space, 5 extra-long trays
- **Convenient loading** - Convenient and easy loading with door opening to 110°
- **Click & go** - Automatic operation from start to finish with a user friendly touch screen control
- **Eco friendly** - Reduced water consumption by about 40%
- **Durable Chamber** - 316L Stainless steel chamber – backed with 10 years warranty
- **Monitoring capabilities** - Smartphone app\*
- **Safety** - Highest safety with a technology that monitors all relevant process parameters, providing certainty that can be transferred via network connection or USB

## Features

- Chic and compact design
- Fast cycles with powerful built-in vacuum pump
- Low operating noise level < 67 dB
- Lower electricity costs with time-delay settings
- Automatic feed water system (Optional)
- Integrated automatic water filling and drain connection

## Connectivity

- Internal memory storing up to 1,000 cycles
- Printouts for saving hard copies (Optional)
- Ports: 1 Ethernet, 2 USB for transferring data
- Includes WI-Fi
- Advanced Barcode Workflow Traceability
- RPCR software for remote monitoring (Optional)



# Technical Specifications

Model	Chamber Size	Volume	Dimensions	# of Trays	Voltage Freq.	Power Current	Weight
T-Edge Vet II	280x460m	27L	480x500 x600mm	5	230v 50/60Hz	2000W 10A	58 kg