



# TUTTNAUER TIVA 8

Disinfection Washer



### Intuitive User Experience

A full control & all-in-one operation from a single touch panel



### Large Chamber

A 165 liter chamber for high capacity washes



### Enhanced Tracability

USB and RS232 connectivity



# TIVA8 Washer-Disinfector

Welcome to the TIVA8 Washer-Disinfector designed to simplify your work and ensure the safety of your patients and your staff.

The TIVA 8 washer-disinfector is equipped with a manual double glass door and is best suited for clinics and dental practices. It can be loaded with up to 4 washing levels with a large variety of washing trolleys and accessories. Available trolleys for DIN baskets, containers, mini-invasive equipment, anesthesia kits, bottles, shoes and dental handpieces.

## Features

- Manual double glass door
- Washing chamber made of high quality AISI 316L
- Touch panel with color graphic display
- A total of 40 programs: Preset and programmable procedures
- Air drying prefilter + HEPA H14 filter
- Preheated tank for cycle time reduction (only for HS model)
- 2 dosing pumps with flowmeter for acid and alkaline
- Detergents (2 additional pumps optional)
- 3 Heating elements
- USB/ Printer for data documentation
- Built-in steam condenser



## Optional

- Conductivity measurements to check rinse water quality before disinfection phase
- Demi water boiler (only for HS version)
- Multi color LED chamber light: Operates during loading, unloading and running the program
- Spray arm monitoring continuous validate rotation of spray arm to guarantee that the load is currently washed
- Stainless steel stand for ergonomic loading and unloading (not installed under-counter)
- Thermal Printer Graphic report of washing phases including time and temperature

## ECO-Friendly

- Cycle time reduction thanks to a preheated water tank (only for HS model)
- 2 dosing pumps with flowmeter for precise consumption of acid and alkaline detergents
- Integrated water softener for reducing decontamination
- Built-in steam condenser for excess water and steam

## Premium Performance

- Up to 3 water connections for flexible operation and for optimal washing needs (cold, hot, demineralized)
- Up to 40 washing programs
- AISI 316L Stainless Steel

## Technical Specifications

Model	Chamber Size	Volume	Size	Weight	Power Supply	Power Consumption
TIVA 8 -IM	550x600x500	165L	600x65 x860	100 kg	230V, 1 phase, 50Hz 200V, 1 phase, 50/60Hz 380/415V, 3 phase	6.3 kW